

- Green, B. B., Cook, A. J., Ralston, J. D., Fishman, P. A., Catz, S. L., Carlson, J., & Thompson, R. S. (2008). Effectiveness of home blood pressure monitoring, Web communication, and pharmacist care on hypertension control: a randomized controlled trial. *Jama*, 299(24), 2857-2867.
- Grimm, R., Malik, M., Yunis, C., Sutradhar, S., & Kursun, A. (2010). Simultaneous treatment to attain blood pressure and lipid goals and reduced CV risk burden using amlodipine/atorvastatin single-pill therapy in treated hypertensive participants in a randomized controlled trial. *Vascular health and risk management*, 6, 261.
- Gueyffier, F., Boutitie, F., Boissel, J. P., Pocock, S., Coope, J., Cutler, J., & Schron, E. (1997). Effect of Antihypertensive Drug Treatment on Cardiovascular Outcomes in Women and Men: A Meta-Analysis of Individual Patient Data from Randomized, Controlled Trials. *Annals of Internal Medicine*, 126(10), 761-767.
- Guo, C. X., Pei, Q., Yin, J. Y., Peng, X. D., Zhou, B. T., Zhao, Y. C., & Zhou, H. H. (2012). Effects of Ginkgo biloba extracts on pharmacokinetics and efficacy of atorvastatin based on plasma indices. *Xenobiotica*, 42(8), 784-790.
- Haffner, S. M., Lehto, S., Rönnemaa, T., Pyörälä, K., & Laakso, M. (1998). Mortality from coronary heart disease in subjects with type 2 diabetes and in nondiabetic subjects with and without prior myocardial infarction. *New England journal of medicine*, 339(4), 229-234.