

Tsai HH, Chapman R, Shepherd A, et al. Esomeprazole 20 mg on-demand is more acceptable to patients than continuous lansoprazole 15 mg in the long-term maintenance of endoscopy-negative gastro-oesophageal reflux patients: the COMMAND Study. *Aliment Pharmacol Ther* 2004; 20:657.

United State Pharmacopoeia xxxv, US pharmacopeial convention, Rockville, MD. USP 29, <1225> validation of compendia method (2007).

US Food and Drug Administration (US FDA) centre for drug evaluation and research (2001).

Validation of Analytical procedures; Methodology, International Conference on Harmonization (ICH): Text and Methodology Q2 (R1).

Van Herwaarden MA, Samson M, van Nipsen CH, et al. The effect of *Helicobacter pylori* eradication on intragastric pH during dosing with lansoprazole or ranitidine. *Aliment Pharmacol Ther*. 1999;13:731-740 .

Welge LS, Berardi RR. Evaluation of omeprazole, lansoprazole, pantoprazole, and rabeprazole in the treatment of acid-related diseases. *J Am Pharm Assoc*. 2000;40:52–62.

Williams MP, Pounder RE. Review article: the pharmacology of rabeprazole. *Aliment Pharmacol Ther*. 1999;13(suppl 3):3–10.