

Saeki, T., Ueda, K., Tanigawara, Y., Hori, R., & Komano, T. (1993). Human Pglycoprotein transports cyclosporin A and FK506. *The Journal of Biological Chemistry*, 268(9), 6077–6080.

Sankyo Pharma Inc (US). Expanding the Paradigm for Hypertension Management with a New Angiotensin II Receptor Blocker. Benicar® (Olmesartan Medoxomil) [product monograph]. New York: Advantage Communications, 2002.

Sarkhosh, A., Zamani, Z., Fatahi, R., Ebadi, A., 2006. RAPD markers reveal polymorphism among some Iranian pomegranate (*Punica granatum L.*) genotypes. *Sci. Hortic.* 111 (1), 24–29.

Sato, H., Goto, W., Yamamura, J., Kurokawa, M., Kageyama, S., Takahara, T., et al.. (1996). Therapeutic basis of glycyrrhizin on chronic hepatitis B. *Antiviral Research*, 30(2–3), 171–177.

Sattler, M., Guengerich, F. P., Yun, C. H., Christians, U., & Sewing, K. F. (1992), Cytochrome P-450 3A enzymes are responsible for biotransformation of FK506 and rapamycin in man and rat. *Drug Metabolism and Disposition*, 20(5), 753–761.

Schwarz, U. I., Seemann, D., Oertel, R., Miehle, S., Kuhlisch, E., Fromm, M. F., ... & Kirch, W. (2005). Grapefruit Juice Ingestion Significantly Reduces Talinolol Bioavailability&ast. *Clinical Pharmacology & Therapeutics*, 77(4), 291-301.

See, S., & Stirling, A. L. (2000). Candesartan cilexetil: an angiotensin II-receptor blocker. *American journal of health-system pharmacy*, 57(8), 739-746.

Seeram, N. P., Adams, L. S., Henning, S. M., Niu, Y., Zhang, Y., Nair, M. G., & Heber, D. (2005). In vitro antiproliferative, apoptotic and antioxidant activities of punicalagin, ellagic acid and a total pomegranate tannin extract are enhanced in combination with other polyphenols as found in pomegranate juice. *The Journal of nutritional biochemistry*, 16(6), 360-367.

Seno, S., Ohtake, S., & Kohno, H. (1997). Analytical validation in practice at a quality control laboratory in the Japanese pharmaceutical industry. *Accreditation and quality assurance*, 2(3), 140-145.

Setaro, J. F. (2000). An Update on the Diagnostic Evaluation of the Hypertensive Patient. *Journal of clinical hypertension (Greenwich, Conn.)*, 2(1), 25.

Seventh report of the joint National committee on Detection, Evaluation and Treatment of High Blood Pressure2003..(JNC-7) *JAMA* 289: 2560.

Shim, S.B., Kim, N.J., Kim, D.H., 2000. Beta-glucuronidase inhibitory activity and hepatoprotective effect of 18 gglycyrrhetic acid from the rhizomes of *Glycyrrhiza uralensis*. *Planta Medica* 66 (1), 40–43.

Sinclair, W. B., Bartholomew, E. T., & Ramsey, R. C. (1945). Analysis of the organic acids of orange juice. *Plant physiology*, 20(1), 3.

Sirett, N. E., McLean, A. S., Bray, J. J., & Hubbard, J. I. (1977). Distribution of angiotensin II receptors in rat brain. *Brain research*, 122(2), 299-312.

Skoog, D.; Holler, F.; Crouch, S. *Principles of Instrumental Analysis* ,2007.