

1.7.1.3	The Transporters of Intestinal	39
1.8	Pre-Clinical Studies	40
1.9.	Method Validation	40
1.9.1	Precision	41
1.9.2	Accuracy	41
1.9.3	Linearity	42
1.9.4	Range	42
1.9.5	Ruggedness	42
1.9.6	Limit of Detection	43
1.9.7	Limit of Quantitation	43
1.9.8	Selectivity	43
1.9.9	Specificity	43
1.9.10	Stability	43
1.10.	Internal Standard	44
1.11.	Previous Analytical Studies and Literature Survey	46
1.12.	Objective of This Study	55
	<b>Chapter Two: Experimental Part</b>	56
2	Experimental Part	57
2.1	Reagents	57
2.2	Instrumentation	58
2.3	Animals	58
2.4	Preparation of Stock Solutions	59
2.4.1	Preparation of Candesartan Solution to be Given to the Rats	59
2.4.2	Preparation of Stock Solution of Candesartan	60
2.4.3	Preparation of Stock Solution for Internal Standard	60
2.4.4	Preparation of 2 ng/ml Irbesartan IS in methanol (precipitating agent)	60
2.4.5	Preparation of Working Solution for Candesartan	60
2.4.5	Preparation of Candesartan STD Serial Dilution and Spiked Plasma	60
2.4.6	Preparation of Candesartan QC Serial Dilution and Spiked Plasma	60
2.5	Preparation of Orange, Licorice and Pomegranate Juices	62
2.6	Method of Sample Preparation	62
2.7	Validation	63
2.7.1	Accuracy and Precision	63
2.7.2	Specificity and Selectivity	63
2.7.3	Sensitivity	63