

	concentration with time after drug administration, comparing candesartan with pomegranate juice and solitary drug use , each data point represents the mean $\pm$ SEM (n=3)	
14.	Rat plasma profile showing the changes in mean serum candesartan concentration with time after drug administration comparing combined and solitary drug use	100
15.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after half an hour of drug administration between single and combined drug use	102
16.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after one hour of drug administration between single and combined drug use	103
17.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after 2 hours of drug administration between single and combined drug use	104
18.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after 3 hours of drug administration between single and combined drug use	105
19.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after 4 hours of drug administration between single and combined drug use	106
20.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after 6 hours of drug administration between single and combined drug use	107
21.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after half an hour of drug administration between single and combined drug use	108
22.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after one hour of drug administration between single and combined drug use	109
23.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after 2 hours of drug administration between single and combined drug use	110
24.	Diagram with error bars comparing the mean (with its 95% confidence interval) serum candesartan drug concentration after 3 hours of drug administration between single and combined drug use	111
25.	Diagram with error bars comparing the mean (with its 95% confidence	112