

Taylor, A. L., Watson, C. J., & Bradley, J. A. (2005). Immunosuppressive agents in solid organ transplantation: Mechanisms of action and therapeutic efficacy. *Critical Reviews in Oncology/Hematology*, 56(1), 23–46.

Tsutsumi, K. E. I. S. U. K. E., & Saavedra, J. M. (1991). Characterization and development of angiotensin II receptor subtypes (AT1 and AT2) in rat brain. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 261(1), R209-R216.

Tu, J. H., He, Y. J., Chen, Y., Fan, L., Zhang, W., Tan, Z. R., et al. (2010). Effect of glycyrrhizin on the activity of CYP3A enzyme in humans. *European Journal of Clinical Pharmacology*, 66(8), 805–810.

Tuija H. Nieminen, Nora M. Hagelberg, Teijo I. Saari, Mikko Neuvonen, Pertti J. Neuvonen, Kari Laine and Klaus T. Olkkola, (2010), Grapefruit Juice Enhances the Exposure to Oral Oxycodone, *Basic & Clinical Pharmacology & Toxicology*, 107, 782–788.

Uesawa Y, Mohri K., (2008), Hesperidin in orange juice reduces the absorption of celioprolol in rats, *Biopharm Drug Dispos*, 29(3):185-188.

United States Department of Agriculture, Agricultural Research Service, National Nutrient Database for Standard Reference, Release 26.

US Food and Drug Administration. Candesartan cilexetil, Atacand®: clinical pharmacology and biopharmaceutics review, 2006.

Vander Heyden, Y., Nijhuis, A., Smeyers-Verbeke, J., Vandeginste, B. G. M., & Massart, D. L. (2001). Guidance for robustness/ruggedness tests in method validation. *Journal of pharmaceutical and biomedical analysis*, 24(5), 723-753.

Vauquelin, G., Fierens, F., & Van Liefde, I. (2006). Long-lasting angiotensin type 1 receptor binding and protection by candesartan: comparison with other biphenyl-tetrazole sartans. *Journal of Hypertension*, 24, S23-S30.

Vijaykumar, N., Raviraj, P., Venkateshwarlu, V., Harisudhan, T., 2009. Development and characterization of solid oral dosage form incorporating candesartan cilexetil. *Pharm. Dev. Technol.* 14 (3), 290–298.

Visavadiya, N. P., Soni, B., & Dalwadi, N. (2009). Evaluation of antioxidant and anti-atherogenic properties of *Glycyrrhiza glabra* root using in vitro models. *International journal of food sciences and nutrition*, 60(S2), 135-149.

Wada, T., Inada, Y., Ojima, M., Sanada, T., Shibouta, Y., & Nishikawa, K. (1996). Comparison of the antihypertensive effects of the new angiotensin II (AT1) receptor antagonist candesartan cilexetil (TCV-116) and the angiotensin converting enzyme inhibitor enalapril in rats. *Hypertension research: official journal of the Japanese Society of Hypertension*, 19(2), 75.

Wang, P., Zheng, G. J., Wang, Y. P., Wang, X. J., Li, Y., & Xiang, W. S. (2010). A novel and practical synthesis of substituted 2-ethoxy benzimidazole: candesartan cilexetil. *Tetrahedron*, 66(29), 5402-5406.