

2.2.5 <i>In vivo</i> Glucosamine, cimetidine and rifampin effect on propranolol bioavailability	52
2.2.5.1 Drugs preparation	52
2.2.5.2 Study protocol	52
2.2.5.3 Pharmacokinetics and statistical analysis	53
2.2.5.4 Data Analysis (Optimized Effective Intestinal Permeability)	54
2.2.6 Anaesthesia and surgical protocol	54
2.2.7 <i>In Situ</i> Single-Pass Intestinal Perfusion (SPIP)	56
2.2.7.1 Washing and perfusion solution preparation	56
2.2.7.2 Intestinal perfusion	56
2.2.8 GlcN effect on PRN absorption by Everted rat intestinal sac (ERIS)	57
2.2.9 Isolation and primary culture of rat hepatic cells	58
2.2.9.1 Preparation of buffers	58
2.2.9.2 Rat perfusion for liver isolation	59
2.2.9.3 Hepatocyte cell isolation	59
2.2.9.4 Hepatocyte culture	60
2.2.9.5 Treatment of the cultured cell	60
Chapter Three	61
3. Results	
3.1 Krebs buffer validation	63
3.1.1 Intra-day validation	63
3.1.1.1 Accuracy	63
3.1.1.2 Precision	64
3.1.2 Inter-day validation	69
3.1.2.1 Accuracy	69
3.1.2.2 Precision	69
3.1.3 Stability	71
3.1.3.1 Freeze- thaw stability	71