

- Niemi, M. (2010). Transporter pharmacogenetics and statin toxicity. *Clinical Pharmacology & Therapeutics*, 87(1), 130-133.
- Odegard, P. S., & Capoccia, K. (2007). Medication taking and diabetes a systematic review of the literature. *The Diabetes Educator*, 33(6), 1014-1029.
- Ogden, C. L., Carroll, M. D., Curtin, L. R., Lamb, M. M., & Flegal, K. M. (2010). Prevalence of high body mass index in US children and adolescents, 2007-2008. *Jama*, 303(3), 242-249.
- Ong, K. L., Cheung, B. M., Man, Y. B., Lau, C. P., & Lam, K. S. (2007). Prevalence, awareness, treatment, and control of hypertension among United States adults 1999–2004. *Hypertension*, 49(1), 69-75.
- Östergren, J., Poulter, N. R., Sever, P. S., Dahlöf, B., Wedel, H., Beevers, G., & ASCOT investigators. (2008). The Anglo-Scandinavian Cardiac Outcomes Trial: blood pressure-lowering limb: effects in patients with type II diabetes. *Journal of hypertension*, 26(11), 2103-2111.
- Patel, A., MacMahon, S., Chalmers, J., Neal, B., Billot, L., Woodward, M., & Travert, F. (2008). Intensive blood glucose control and vascular outcomes in patients with type 2 diabetes.
- Patel, B. V., Leslie, R. S., Thiebaud, P., Nichol, M. B., Tang, S. S., Solomon, H., & Foody, J. M. (2008). Adherence with single-pill amlodipine/atorvastatin vs a two-pill regimen. *Vascular health and risk management*, 4(3), 673.