

---

This new route will simply fire the Show action in the customer controller.

Now we create the controller class, `CustomerController`, as:

```
using NTier.BL;
using NTier.Common;
namespace Chapter05.MVC.Controllers
{
    public class CustomerController:Controller
    {
        #region ViewData
        /// <summary>
        /// Class used for transferring data to the View
        /// </summary>
        public class CustomerViewData
        {
            public CustomerViewData() { }
            public CustomerViewData(Collection<Customer> customers)
            {
                this.customers = customers;
            }
            public Collection<Customer> customers;
            public Customer customer;
        }
        #endregion
        public ActionResult Show()
        {
            CustomerViewData customerViewData = new CustomerViewData();
            CustomerCollection customers = new CustomerCollection();
            customerViewData.customers
            = customers.FindAll(LoadStatus.Loaded);
            return View("Show", customerViewData);
        }
    }
} //end class
} //end namespace
```

In this class, we first create a subclass called `CustomerViewData`, which is a wrapper to hold the `Customer` and `CustomerCollection` business objects. We will transfer this class object to the actual view through the controller as:

```
public ActionResult Show()
{
    CustomerViewData customerViewData = new CustomerViewData();
    CustomerCollection customers = new CustomerCollection();
    customerViewData.customers
    = customers.FindAll(LoadStatus.Loaded);
    return View("Show", customerViewData);
}
```

In this controller action, we simply get the list of customers from the database and pass it to the `Show.aspx` page using the `View()` method.

To create the `aspx` pages, we will create a folder named `Customers` under the `View`, and add an `aspx` file named `Show.aspx` that will display a list of all the customers.

```
<asp:Content ID="Content1" ContentPlaceHolderID="MainContent"
runat="server">
    <asp:Repeater ID="rptCustomer" runat="server">
        <ItemTemplate>
            <%# Eval("Name")%>
        </ItemTemplate>
    </asp:Repeater>
</asp:Content>
```

In the code-behind, we simply bind the data as:

```
using System.Web.Mvc;
namespace Chapter05.MVC.Views.Customer
{
    public partial class Show :
        ViewPage <Controllers.CustomerController.CustomerViewData>
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            rptCustomer.DataSource = ViewData.Model.customers;
            rptCustomer.DataBind();
        }
    }
}
```