

Like `scanf()` reading in text, `gets()` requires a `char` variable to store what's entered. It reads everything typed at the keyboard until the Enter key is pressed. Here's the format:

```
gets(var);
```

`gets()`, like all functions, is followed by a set of parentheses. Because `gets()` is a complete statement, it always ends in a semicolon. Inside the parentheses is `var`, the name of the string variable text in which it is stored.

Another completely rude program example

The following is the `INSULT1.C` program. This program is almost identical to the `WHORU.C` program, introduced in Chapter 4, except that `gets()` is used rather than `scanf()`.

```
#include <stdio.h>

int main()
{
    char jerk[20];

    printf("Name some jerk you know:");
    gets(jerk);
    printf("Yeah, I think %s is a jerk, too.\n",jerk);
    return(0);
}
```

Enter this source code into your editor. Save the file to disk and name it `INSULT1.C`.

Compile the program. Reedit the text if you find any errors. Remember your semicolons and watch how the double quotes are used in the `printf()` functions.

Run the resulting program. The output looks something like this:

```
Name some jerk you know:Bill
Yeah, I think Bill is a jerk, too.
```

- ✔ `gets()` reads a variable just like `scanf()` does. Yet no matter what reads it, the `printf()` statement can display it.
- ✔ `gets(var)` is the same as `scanf("%s", var)`.
- ✔ If you get a warning error when compiling, see the next section.